

# SYSTEM COMPARISON CHART

Product Model	Big Berkey with 2 Black	Aquasana Claryum	Santevia System	Brita Water	Bottled Water
<b>System Composition</b>	Berkey Element/Stainless Steel	Countertop/BPA free Plastic	BPA Free Plastic	Filter/hard plastic	Plastic
<b>Retail Price (CAD)</b>	\$336.00	<b>\$115.00</b>	\$180.00	<b>\$20.00</b>	\$2.50/11.92 liters
<b>Filter life based on 3,650 liters /year</b>	for 6-8 years or 22,700 liters	<b>1,703 liters</b>	for 1 year	<b>151 liters</b>	NA
<b>Replacement Filter Costs/year</b>	\$21.90	<b>\$128.00</b>	\$100.00	<b>\$205.45</b>	NA
<b>Capable of Purifying Untreated Rain, Lake, River or Stagnant Water</b>	Yes	<b>No</b>	No	<b>No</b>	NA
<b>Usage Cost Comparison</b>	(blank)	(blank)	(blank)	(blank)	(blank)
<b>First Year Cost (include initial product cost)</b>	\$336.00/with PF-2 \$391.20	<b>\$174.26</b>	\$215.00	<b>\$193.45</b>	\$762.00
<b>2nd Year Cost</b>	\$0.00/with PF-2 \$60.00	<b>\$128.00</b>	\$100.00	<b>\$193.45</b>	\$762.00
<b>3rd Year Cost</b>	\$0.00/with PF-2 \$60.00	<b>\$128.00</b>	\$100.00	<b>\$193.45</b>	\$762.00
<b>4th Year Cost</b>	\$0.00/with PF-2 \$60.00	<b>\$128.00</b>	\$100.00	<b>\$193.45</b>	\$762.00
<b>5th Year Cost</b>	\$0.00/with PF-2 \$60.00	<b>\$128.00</b>	\$100.00	<b>\$193.45</b>	\$762.00
<b>6 Year Total Investment</b>	<b>\$336.00/with PF-2 \$691.20</b>	<b>\$814.26</b>	<b>\$715.00</b>	<b>\$1,172.70</b>	<b>\$4,572.00</b>
<b>Operates without pressure or electricity</b>	Yes	<b>No</b>	Yes	<b>Yes</b>	Yes
<b>Fluoride &amp; Arsenic Removed</b>	with PF-2 filter up to 99.75%	<b>No</b>	No	<b>No</b>	No
<b>Pathogenic Bacteria, Cysts &amp; Parasites: E.Coli, Klebsiella, Pseudomonas Aeruginosa, Giardia, Cryptosporidium etc.</b>	Exceeds Purification Standards to over 99.9999%	<b>Pathogenic Bacteria - No Parasites - No Cysts &amp; Giardia - over 99.99%</b>	No - not stated (blank) (blank)	<b>No</b> (blank) (blank)	No (blank) (blank)
<b>Viruses</b>	over 99.999%	<b>No</b>	No - not stated	<b>No</b>	No
<b>Pesticides</b>	Removed to below detectable limits	<b>"Reduced"</b>	"Reduced"	<b>No</b>	No
<b>Herbicides</b>	Removed to below detectable limits	<b>"Reduced"</b>	"Reduced"	<b>No</b>	No
<b>Chlorine</b>	Removed to below detectable limits	<b>over 97.4 %</b>	"Reduced"	<b>"Reduced"</b>	No
<b>Aluminum</b>	over 99.0%	<b>No</b>	% - Not Disclosed	<b>No</b>	No
<b>Copper</b>	over 99.9%	<b>No</b>	% - Not Disclosed	<b>"Reduced"</b>	No
<b>Iron</b>	over 99.9%	<b>No</b>	% - Not Disclosed	<b>No</b>	No
<b>Lead</b>	over 99.9%	<b>over 99.3%</b>	% - Not Disclosed	<b>No</b>	No
<b>Mercury</b>	over 99.9%	<b>over 95.8%</b>	% - Not Disclosed	<b>"Reduced"</b>	No
<b>Cadmium</b>	over 99.7%	<b>No</b>	% - Not Disclosed	<b>"Reduced"</b>	No
<b>Chromium</b>	over 99.9%	<b>No</b>	% - Not Disclosed	<b>No</b>	No
<b>Volatile Organic Compounds - Eg. Carbon, Atazine, Benzene, Chloroform.</b>	(blank) Removed to below detectable limits	(blank) <b>over 99%</b>	(blank) No	(blank) <b>No</b>	(blank) No
<b>Radiologicals: Radon 222</b>	Removed to below detectable limits	<b>No</b>	No	<b>No</b>	No

